Available online at www.sciencedirect.com
SCIENCE DIRECT®
PERGAMON
Phytochemistry 62 (2003) I–VIII
PHYTOCHEMISTRY
www.elsevier.com/locate/phytochem

Contents of Volume 62

Number 1

Graphical Abstracts vii

Molecules of Interest
Saponins in cereals 1 A. E. Osbourn

Protein Biochemistry
Monosaccharide composition and properties of a deglycosylated turnip peroxidase isozyme 5 M. A. Duarte-Vázquez, B. E. García-Almendárez, A. Rojo-Domínguez, J. R. Whitaker, C. Arroyave-Hernández and C. Regalado

Biochemical characterization of sap (latex) of a few Indian mango varieties 13 K. S. John, S. G. Bhat and U. J. S. P. Rao

Three α-amylases from malted finger millet (Ragi, *Eleusine coracana*, Indaf-15)—purification and partial characterization 21 M. Nirmala and G. Muralikrishna

Molecular Genetics and Genomics
Reduced levels of cadinane sesquiterpenoids in cotton plants expressing antisense (+)-δ-cadinene synthase 31 G. S. Martin, J. Liu, C. R. Benedict, R. D. Stipanovic and C. W. Magill

Expression of a *Streptomyces* 3-hydroxysteroid oxidase gene in oilseeds for converting phytosterols to phytostanols 39 M. Venkatramesh, B. Karunanandaa, B. Sun, C. A. Gunter, S. Boddupalli and G. M. Kishore

Isolation and characterization of two fructokinase cDNA clones from rice 47 H. Jiang, W. Dian, F. Liu and P. Wu

Metabolism
Structural and compositional modifications in lignin of transgenic alfalfa down-regulated in caffeic acid 3-*O*-methyltransferase and caffeoyl coenzyme A 3-*O*-methyltransferase 53 J. M. Marita, J. Ralph, R. D. Hatfield, D. Guo, F. Chen and R. A. Dixon

The biotransformation of the diterpene 2β-hydroxy-*ent*-13-*epi*-manoyl oxide by *Gibberella fujikuroi* 67 B. M. Fraga, P. González, M. G. Hernández and S. Suárez

6*H*-Dibenzo[*b*,*d*]pyran-6-one derivatives from the cultured lichen mycobionts of *Graphis* spp. and their biosynthetic origin 71 T. Tanahashi, Y. Takenaka, N. Nagakura and N. Hamada

Synthesis of gibberellin GA_6 and its role in flowering of *Lolium temulentum* 77 R. W. King, L. T. Evans, L. N. Mander, T. Moritz, R. P. Pharis and B. Twitchin

Bioactive Products
Bacterial resistance modifying agents from *Lycopus europaeus* 83 S. Gibbons, M. Oluwatuyi, N. C. Veitch and A. I. Gray

Inhibition of LDL oxidation by flavonoids in relation to their structure and calculated enthalpy 89 J. Vaya, S. Mahmood, A. Goldblum, M. Aviram, N. Volkova, A. Shaalan, R. Musa and S. Tamir

Benzoquinone, the substance essential for antibacterial activity in aqueous extracts from succulent young shoots of the pear *Pyrus* spp. 101 S. Jin and N. Sato

Chemistry
Thelephantins A, B and C: three benzoyl *p*-terphenyl derivatives from the inedible mushroom *Thelephora aurantiotincta* 109 D. N. Quang, T. Hashimoto, M. Nukada, I. Yamamoto, Y. Hitaka, M. Tanaka and Y. Asakawa

Glycosides of 2-*C*-methyl-D-erythritol from the fruits of anise, coriander and cumin 115 J. Kitajima, T. Ishikawa, E. Fujimatu, K. Kondho and T. Takayanagi

doi:10.1016/S0031-9422(03)00134-1

Number 2

Graphical Abstracts vii

Molecules of Interest
Rosmarinic acid 121 M. Petersen and M. S. J. Simmonds

Protein Biochemistry
A flavonol *O*-methyltransferase from *Catharanthus roseus* performing two sequential methylations 127 S. Cacace, G. Schröder, E. Wehinger, D. Strack, J. Schmidt and J. Schröder

Metabolism
Initial steps of the peroxidase-catalyzed polymerization of coniferyl alcohol and/or sinapyl aldehyde: capillary zone electrophoresis study of pH effect 139 D. Fournand, B. Cathala and C. Lapierre

Sterol composition of mycelia of the plant pathogenic ascomycete *Leptosphaeria maculans* 147 K. M. Griffiths, A. Bacic and B. J. Howlett

Transformations of testosterone and related steroids by *Botrytis cinerea* 155 E. Huszcza and J. Dmochowska-Gladysz

The biochemical origin of pentenol emissions from wounded leaves 159 A. J. Fisher, H. D. Grimes and R. Fall

3β,13-Dihydroxylated C_{20} gibberellins from inflorescences of *Rumex acetosa* L. 165 T. S. Stokes, L. N. Mander, S. J. Croker, B. Twitchin and D. E. Hanke

Ecological Biochemistry
Volatile emissions of eastern hemlock, *Tsuga canadensis*, and the influence of hemlock woolly adelgid 175 C. D. Broeckling and S. M. Salom

Aluminum-induced oxidative stress in maize 181 P. R. S. Boscolo, M. Menossi and R. A. Jorge

Chemotaxonomy
Fatty acid variations in symbiotic dinoflagellates from Okinawan corals 191 N. V. Zhukova and E. A. Titlyanov

Bioactive Products
Cytotoxic triterpenes from the twigs of *Celtis philippinensis* 197 B. Y. Hwang, H.-B. Chai, L. B. S. Kardono, S. Riswan, N. R. Farnsworth, G. A. Cordell, J. M. Pezzuto and A. D. Kinghorn

Antimicrobial constituents from the rhizomes of *Rheum emodi* 203 K. S. Babu, P. V. Srinivas, B. Praveen, K. H. Kishore, U. S. Murty and J. M. Rao

Chemical composition and antibacterial activities of the essential oils of *Lippia chevalieri* and *Lippia multiflora* from Burkina Faso 209 I. H. N. Bassole, A. S. Ouattara, R. Nebie, C. A. T. Ouattara, Z. I. Kabore and S. A. Traore

Inhibition of LPS-induced NO production by the oleogum resin of *Commiphora wightii* and its constituents 213 M. R. Meselhy

Antioxidant flavonoids from leaves of *Polygonum hydropiper* L. 219 Z. F. Peng, D. Strack, A. Baumert, R. Subramaniam, N. K. Goh, T. F. Chia, S. N. Tan and L. S. Chia

Chemistry
Malonylated flavonol glycosides from the petals of *Clitoria ternatea* 229 K. Kazuma, N. Noda and M. Suzuki

5*H*-Furan-2-ones from fungal cultures of *Aporpium caryae* 239 L. M. Levy, G. M. Cabrera, J. E. Wright and A. M. Seldes

Corrigendum
Corrigendum to "An immunosuppressive tryptophan-derived alkaloid from *Lepidagathis cristata*" [Phytochemistry 58 (2001) 1263–1266] 243 V. Ravikanth, V. L. N. Reddy, P. Ramesh, T. P. Rao, P. V. Diwan, A. Khar and Y. Venkateswarlu

Number 3

Graphical Abstracts ix

4 February 2003 245

Review
Recent advances in betalain research 247 D. Strack, T. Vogt and W. Schliemann

Stilbenecarboxylate biosynthesis: a new function in the family of chalcone synthase-related proteins	271	C. Eckermann, G. Schröder, S. Eckermann, D. Strack, J. Schmidt, B. Schneider and J. Schröder
Flavonol synthase from *Citrus unshui* is a bifunctional dioxygenase	287	R. Lukačin, F. Wellmann, L. Britsch, S. Martens and U. Matern
Molecular cloning and characterization of an amidase from *Arabidopsis thaliana* capable of converting indole-3-acetamide into the plant growth hormone, indole-3-acetic acid	293	S. Pollmann, D. Neu and E. W. Weiler
Oxidation of pentagalloylglucose to the ellagitannin, tellimagrandin II, by a phenol oxidase from *Tellima grandiflora* leaves	301	R. Niemetz and G. G. Gross
Oxidative biosynthesis of phenylbenzoisochromenones from phenylphenalenones	307	S. Opitz and B. Schneider
Aromatic and pyrone polyketides synthesized by a stilbene synthase from *Rheum tataricum*	313	S. Samappito, J. E. Page, J. Schmidt, W. De-Eknamkul and T. M. Kutchan
Biosynthesis of calystegines: ^{15}N NMR and kinetics of formation in root cultures of *Calystegia sepium*	325	Y. Scholl, B. Schneider and B. Dräger
Antifungal diterpenes from *Hypoestes serpens* (Acanthaceae)	333	L. Rasoamiaranjanahary, A. Marston, D. Guilet, K. Schenk, F. Randimbivololona and K. Hostettmann
Evidence for general occurrence of homospermidine in plants and its supposed origin as by-product of deoxyhypusine synthase	339	D. Ober, L. Gibas, L. Witte and T. Hartmann
Habropetaline A, an antimalarial naphthylisoquinoline alkaloid from *Triphyophyllum peltatum*	345	G. Bringmann, K. Messer, B. Schwöbel, R. Brun and L. A. Assi
Biosynthesis of 14,15-dehydro-12-oxo-phytodienoic acid and related cyclopentenones via the phytoprostane D_1 pathway	351	M. Krischke, C. Loeffler and M. J. Mueller
Two chromone-secoiridoid glycosides and three indole alkaloid glycosides from *Neonauclea sessilifolia*	359	A. Itoh, T. Tanahashi, N. Nagakura and T. Nishi
A 2-oxoglutarate-dependent dioxygenase is integrated in DIMBOA-biosynthesis	371	M. Frey, K. Huber, W. J. Park, D. Sicker, P. Lindberg, R. B. Meeley, C. R. Simmons, N. Yalpani and A. Gierl
Occurrence and non-detectability of maytansinoids in individual plants of the genera *Maytenus* and *Putterlickia*	377	C. B. Pullen, P. Schmitz, D. Hoffmann, K. Meurer, T. Boettcher, D. von Bamberg, A. M. Pereira, S. de Castro França, M. Hauser, H. Geertsema, A. van Wyk, T. Mahmud, H. G. Floss and E. Leistner
Biosynthesis of β-sitosterol and stigmasterol in *Croton sublyratus* proceeds via a mixed origin of isoprene units	389	W. De-Eknamkul and B. Potduang
On the origin of family 1 plant glycosyltransferases	399	S. Paquette, B. L. Moller and S. Bak
Kinetic analysis of the inhibition of phenylalanine ammonia-lyase by 2-aminoindan-2-phosphonic acid and other phenylalanine analogues	415	C. Appert, J. Zoń and N. Amrhein
Phytochelatin synthase catalyzes key step in turnover of glutathione conjugates	423	A. Beck, K. Lendzian, M. Oven, A. Christmann and E. Grill
Homologous very-long-chain 1,3-alkanediols and 3-hydroxyaldehydes in leaf cuticular waxes of *Ricinus communis* L.	433	C. P. Vermeer, P. Nastold and R. Jetter
Volatile components of selected species of the liverwort genera *Frullania* and *Schusterella* (Frullaniaceae) from New Zealand, Australia and South America: a chemosystematic approach	439	Y. Asakawa, M. Toyota, M. von Konrat and J. E. Braggins
Regulation of phytochelatin synthesis by zinc and cadmium in marine green alga, *Dunaliella tertiolecta*	453	N. Tsuji, N. Hirayanagi, O. Iwabe, T. Namba, M. Tagawa, S. Miyamoto, H. Miyasaka, M. Takagi, K. Hirata and K. Miyamoto
Metabolite profiling of alkaloids and strictosidine synthase activity in camptothecin producing plants	461	Y. Yamazaki, A. Urano, H. Sudo, M. Kitajima, H. Takayama, M. Yamazaki, N. Aimi and K. Saito
Variation of glucosinolate accumulation among different organs and developmental stages of *Arabidopsis thaliana*	471	P. D. Brown, J. G. Tokuhisa, M. Reichelt and J. Gershenzon

Thalictrum minus cell cultures and ABC-like transporter 483 K. Terasaka, K. Sakai, F. Sato, H. Yamamoto and K. Yazaki

Selective desensitization of jasmonate- and pH-dependent signaling in the induction of benzophenanthridine bio-synthesis in cells of *Eschscholzia californica* 491 K. Färber, B. Schumann, O. Miersch and W. Roos

[^{13}C]-Specific labeling of 8–2′ linked (−)-*cis*-blechnic, (−)-*trans*-blechnic and (−)-brainic acids in the fern *Blechnum spicant* 501 L. B. Davin, C.-Z. Wang, G. L. Helms and N. G. Lewis

A family of polyketide synthase genes expressed in ripening *Rubus* fruits 513 A. Kumar and B. E. Ellis

Allometric analysis of the induced flavonols on the leaf surface of wild tobacco (*Nicotiana attenuata*) 527 A. L. Roda, N. J. Oldham, A. Svatos and I. T. Baldwin

Number 4

The contents are arranged by class of compound within each section, e.g. primary metabolites, terpenoids, phenolics, alkaloids.

Graphical Abstracts vii

Terpenoids

A lupane triterpene from frankincense (*Boswellia* sp., Burseraceae) 537 G. Culioli, C. Mathe, P. Archier and C. Vieillescazes

Norditerpenoid alkaloids from *Delphinium* species 543 N. Batbayar, S. Enkhzaya, J. Tunsag, D. Batsuren, D. S. Rycroft, S. Sproll and F. Bracher

Neo-clerodane diterpenoids from *Croton schiedeanus* 551 P. Puebla, J. L. López, M. Guerrero, R. Carrón, M. L. Martín, L. S. Román and A. S. Feliciano

Triterpenoid saponins from *Meryta lanceolata* 557 F. R. Melek, T. Miyase and N. S. Ghaly

Bidesmosidic saponins from the fruits of *Diploclisia glaucescens* 563 L. Jayasinghe, N. Hara and Y. Fujimoto

ent-Pimarane type diterpenes from *Gnaphalium gaudichaudianum* 569 T. L. Meragelman, G. L. Silva, E. Mongelli and R. R. Gil

Pentacyclic triterpenoids from *Embelia schimperi* 573 A. K. Machocho, P. C. Kiprono, S. Grinberg and S. Bittner

Quassinoids from *Ailanthus excelsa* 579 B. C. Joshi, A. Pandey, R. P. Sharma and A. Khare

Seco diterpenoids from *Excoecaria agallocha* L. 585 A. S. R. Anjaneyulu and V. L. Rao

Triterpenoids from the orchids *Agrostophyllum brevipes* and *Agrostophyllum callosum* 591 P. L. Majumder, S. Majumder and S. Sen

Cardiobutanolide, a styryllactone from *Goniothalamus cardiopetalus* 597 A. Hisham, M. Toubi, W. Shuaily, M. D. A. Bai and Y. Fujimoto

Phenolics

Stilbene derivatives from *Gnetum gnemon* Linn. 601 I. Iliya, Z. Ali, T. Tanaka, M. Iinuma, M. Furusawa, K. Nakaya, J. Murata, D. Darnaedi, N. Matsuura and M. Ubukata

Prenylated xanthone glucosides from Ural's lichen *Umbilicaria proboscidea* 607 T. Řezanka, J. Jáchymová and V. M. Dembitsky

Pharmacognostic studies on ginger and related drugs— part 1: five sulfonated compounds from Zingiberis rhizome (Shokyo) 613 Y. Hori, T. Miura, Y. Hirai, M. Fukumura, Y. Nemoto, K. Toriizuka and Y. Ida

Cytotoxic naphthoquinones and plumbagic acid glucosides from *Plumbago zeylanica* 619 L.-C. Lin, L.-L. Yang and C.-J. Chou

Alkaloids

Indolomonoterpenic alkaloids from *Strychnos icaja* roots 623 G. Philippe, P. De Mol, M. Zèches-Hanrot, J.-M. Nuzillard, M.-H. Tits, L. Angenot and M. Frédérich

Ancistrolikokine D, a 5,8′-coupled naphthylisoquinoline alkaloid, and related natural products from *Ancistrocladus likoko* 631 G. Bringmann, W. Saeb, M. Rückert, J. Mies, M. Michel, V. Mudogo and R. Brun

General Chemistry
Antifungal constituents of the stem bark of *Bridelia retusa* 637 L. Jayasinghe, B. M. M. Kumarihamy, K. H. R. N. Jayarathna, N. W. M. G. Udishani, B. M. R. Bandara, N. Hara and Y. Fujimoto

Polyacetylene glycosides from *Pratia nummularia* cultures 643 K. Ishimaru, M. Osabe, L. Yan, T. Fujioka, K. Mihashi and N. Tanaka

Scaphopetalone and scaphopetalumate, a lignan and a triterpene ester from *Scaphopetalum thonneri* 647 J. C. Vardamides, A. G. B. Azebaze, A. E. Nkengfack, F. R. Van Heerden, Z. T. Fomum, T. M. Ngando, J. Conrad, B. Vogler and W. Kraus

Number 5

Graphical Abstracts vii

Molecules of Interest
Aphid sex pheromones: from discovery to commercial production 651 M. A. Birkett and J. A. Pickett

Molecular Genetics and Genomics
Large differences in amino acid sequences among ferredoxins from several species of genus *Solanum* 657 Y. Mino, T. Hazama and Y. Machida

Pigmentation in the developing seed coat and seedling leaves of *Brassica carinata* is controlled at the dihydroflavonol reductase locus 663 M. A. S. Marles, M. Y. Gruber, G. J. Scoles and A. D. Muir

Metabolism
Microbial transformation of xanthohumol 673 W. H. M. W. Herath, D. Ferreira and I. A. Khan

First detection of a chloroperoxidase in bryophytes 679 A. Speicher, R. Heisel and J. Kolz

Monoterpenoid accumulation in 1,8-cineole, terpinolene and terpinen-4-ol chemotypes of *Melaleuca alternifolia* seedlings 683 M. F. Russell and I. A. Southwell

Seed phosphorus and inositol phosphate phenotype of barley *low phytic acid* genotypes 691 J. A. Dorsch, A. Cook, K. A. Young, J. M. Anderson, A. T. Bauman, C. J. Volkmann, P. P. N. Murthy and V. Raboy

Identification of a hydroxy substituted calamenene—a sesquiterpene associated with wound reactions in non-infected xylem of *Tilia* spp. 707 E. Melcher, P. Jüngel, B. Möllendorf and U. Schmitt

Ecological Biochemistry
Phytotoxicity of the tetramic acid metabolite trichosetin 715 E. C. Marfori, S. Kajiyama, E.-i. Fukusaki and A. Kobayashi

Xanosporic acid, an intermediate in bacterial degradation of the fungal phototoxin cercosporin 723 T. K. Mitchell, F. Alejos-Gonzalez, H. S. Gracz, D. A. Danehower, M. E. Daub and W. S. Chilton

Bioactive Products
Identification of 6-methylsulfinylhexyl isothiocyanate as an apoptosis-inducing component in wasabi 733 M. Watanabe, M. Ohata, S. Hayakawa, M. Isemura, S. Kumazawa, T. Nakayama, M. Furugori and N. Kinae

Bioactive sucrose esters from *Bidens parviflora* 741 N. Wang, X. Yao, R. Ishii and S. Kitanaka

Antiplasmodial and antifungal activities of iridal, a plant triterpenoid 747 F. Benoit-Vical, C. Imbert, J.-P. Bonfils and Y. Sauvaire

Scavenging of reactive oxygen species by a novel glucurinated flavonoid antioxidant isolated and purified from spinach 753 M. Bergman, A. Perelman, Z. Dubinsky and S. Grossman

Chemistry
Stereochemistry of megastigmane glucosides from *Glochidion zeylanicum* and *Alangium premnifolium* 763 H. Otsuka, E. Hirata, T. Shinzato and Y. Takeda

Lignan derivatives from the liverwort *Bazzania trilobata* 769 J. M. Scher, J. Zapp and H. Becker

Dihydroisocoumarins and a tetralone from *Cytospora eucalypticola* 779 T. Kokubun, N. C. Veitch, P. D. Bridge and M. S. J. Simmonds

New insights on the structure of algaenan from *Botryococcus braunii* race A and its hexane insoluble botryals based on multidimensional NMR spectroscopy and electrospray–mass spectrometry techniques 783 A. J. Simpson, X. Zang, R. Kramer and P. G. Hatcher

Homoisoflavonoids and xanthones from the tubers of wild and in vitro regenerated *Ledebouria graminifolia* and cytotoxic activities of some of the homoisoflavonoids 797 J. Mutanyatta, B. G. Matapa, D. D. Shushu and B. M. Abegaz

Sesquineolignans and other constituents from the seeds of *Joannesia princeps* 805 R. Waibel, G. Benirschke, M. Benirschke and H. Achenbach

Book Review
Plant Pathogen Detection and Disease Diagnosis, by P. Narayanasamy 813 J. Flood

Number 6

Graphical Abstracts vii

Editorial
Phytochemistry meets genome analysis, and beyond..... 815 R. A. Dixon and D. Strack

Reviews
Plant metabolomics: large-scale phytochemistry in the functional genomics era 817 L. W. Sumner, P. Mendes and R. A. Dixon

Metabolome diversity: too few genes, too many metabolites? 837 W. Schwab

Full Papers
Metabolomic analysis of the consequences of cadmium exposure in *Silene cucubalus* cell cultures via ^{1}H NMR spectroscopy and chemometrics 851 N. J. C. Bailey, M. Oven, E. Holmes, J. K. Nicholson and M. H. Zenk

Chemometric discrimination of unfractionated plant extracts analyzed by electrospray mass spectrometry 859 R. Goodacre, E. V. York, J. K. Heald and I. M. Scott

Lactofen induces isoflavone accumulation and glyceollin elicitation competency in soybean 865 S. Landini, M. Y. Graham and T. L. Graham

Metabolic networks of *Cucurbita maxima* phloem 875 O. Fiehn

Construction and application of a mass spectral and retention time index database generated from plant GC/EI-TOF-MS metabolite profiles 887 C. Wagner, M. Sefkow and J. Kopka

Taxus metabolomics: methyl jasmonate preferentially induces production of taxoids oxygenated at C-13 in *Taxus* x *media* cell cultures 901 R. E. B. Ketchum, C. D. Rithner, D. Qiu, Y. S. Kim, R. M. Williams and R. B. Croteau

The role of chemical fingerprinting: application to *Ephedra* 911 B. T. Schaneberg, S. Crockett, E. Bedir and I. A. Khan

Metabolic fingerprinting of salt-stressed tomatoes 919 H. E. Johnson, D. Broadhurst, R. Goodacre and A. R. Smith

An optimized protocol for metabolome analysis in yeast using direct infusion electrospray mass spectrometry 929 J. I. Castrillo, A. Hayes, S. Mohammed, S. J. Gaskell and S. G. Oliver

Identification and quantification of carotenoids, tocopherols and chlorophylls in commonly consumed fruits and vegetables 939 J. Burns, P. D. Fraser and P. M. Bramley

Assessment of ^{1}H NMR spectroscopy and multivariate analysis as a technique for metabolite fingerprinting of *Arabidopsis thaliana* 949 J. L. Ward, C. Harris, J. Lewis and M. H. Beale

Monitoring changes in anthocyanin and steroid alkaloid glycoside content in lines of transgenic potato plants using liquid chromatography/mass spectrometry 959 M. Stobiecki, I. Matysiak-Kata, R. Frański, J. Skała and J. Szopa

Metabonomics classifies pathways affected by bioactive compounds. Artificial neural network classification of NMR spectra of plant extracts 971 K.-H. Ott, N. Aranibar, B. Singh and G. W. Stockton

Metabolomics and differential gene expression in anthocyanin chemo-varietal forms of *Perilla frutescens* 987 M. Yamazaki, J.-I. Nakajima, M. Yamanashi, M. Sugiyama, Y. Makita, K. Springob, M. Awazuhara and K. Saito

Regulation of floral scent production in petunia revealed by targeted metabolomics 997 J. C. Verdonk, C. H. Ric de Vos, H. A. Verhoeven, M. A. Haring, A. J. van Tunen and R. C. Schuurink

Factors affecting the robustness of metabolite fingerprinting using ^{1}H NMR spectra 1009 M. Defernez and I. J. Colquhoun

Number 7

Graphical Abstracts vii

Molecules of Interest
Recent findings on natural products with erectile-dysfunction activity 1019 S. E. Drewes, J. George and F. Khan

Review
The chemical characteristic and distribution of brass-inosteroids in plants 1027 A. Bajguz and A. Tretyn

Full Papers
Protein Biochemistry
Biochemical evidence for a calcium-dependent protein kinase from *Pharbitis nil* and its involvement in photoperiodic flower induction 1047 K. Jaworski, A. Szmidt-Jaworska, A. Tretyn and J. Kopcewicz

Procerain, a stable cysteine protease from the latex of *Calotropis procera* 1057 V. K. Dubey and M. V. Jagannadham

Molecular Genetics and Genomics
Pn-AMPs, the hevein-like proteins from *Pharbitis nil* confers disease resistance against phytopathogenic fungi in tomato, *Lycopersicum esculentum* 1073 O. S. Lee, B. Lee, N. Park, J. C. Koo, Y. H. Kim, T. Prasad D. C. Karigar, H. J. Chun, B. R. Jeong, D. H. Kim, J. Nam, J.-G. Yun, S.-S. Kwak, M. J. Cho and D.-J. Yun

A cDNA clone for 3-carene synthase from *Salvia stenophylla* 1081 D. J. Hoelscher, D. C. Williams, M. R. Wildung and R. Croteau

Metabolism
Neuroactive and other free amino acids in seed and young plants of *Panax ginseng* 1087 Y.-H. Kuo, F. Ikegami and F. Lambein

Efficient production and capture of 8-prenylnaringenin and leachianone G—biosynthetic intermediates of sophora-flavanone G—by the addition of cork tissue to cell suspension cultures of *Sophora flavescens* 1093 P. Zhao, C. Hamada, K. Inoue and H. Yamamoto

Microbial transformation of zaluzanin-D 1101 G. N. K. Kumari, S. Masilamani, M. R. Ganesh and S. Aravind

Ecological Biochemistry
Structure, chemistry, and biological activity of pseudo-phomins A and B, new cyclic lipodepsipeptides isolated from the biocontrol bacterium *Pseudomonas fluorescens* 1105 M. S. C. Pedras, N. Ismail, J. W. Quail and S. M. Boyetchko

(+)-Strigol, a witchweed seed germination stimulant, from *Menispermum dauricum* root culture 1115 N. Yasuda, Y. Sugimoto, M. Kato, S. Inanaga and K. Yoneyama

Meliternatin: a feeding deterrent and larvicidal polyoxy-genated flavone from *Melicope subunifoliolata* 1121 S. H. Ho, J. Wang, K. Y. Sim, G. C. L. Ee, Z. Imiyabir, K. F. Yap, K. Shaari and S. H. Goh

Chemotaxonomy
Taxonomic significance of flavonoid variation in temperate species of *Nothofagus* 1125 E. Wollenweber, J. F. Stevens, M. Dörr and A. C. Rozefelds

Bioactive Products
A plant growth retardant related to chlamydocin and its proposed mechanism of action 1133 H. Tani, T. Honma, Y. Fujii, K. Yoneyama and H. Nakajima

Isolation and identification of an allelopathic substance in *Pisum sativum* 1141 H. Kato-Noguchi

Effects of seven pure flavonoids from mosses on germination and growth of *Tortula muralis* HEDW. (Bryophyta) and *Raphanus sativus* L. (Magnoliophyta) 1145 A. Basile, S. Sorbo, J. A. López-Sáez and R. C. Cobianchi

Chemistry
Homoisoflavonoids from *Ophiopogon japonicus* Ker-Gawler 1153 N. T. H. Anh, T. V. Sung, A. Porzel, K. Franke and L. A. Wessjohann

MALDI-TOF mass spectrometry and PSD fragmentation as means for the analysis of condensed tannins in plant leaves and needles 1159 A. Behrens, N. Maie, H. Knicker and I. Kögel-Knabner

Number 8

The contents are arranged by class of compound within each section, e.g. primary metabolites, terpenoids, phenolics, alkaloids.

Graphical Abstracts	ix	
Publisher's Note	1171	
Full Papers		
Terpenoids		
Tetranortriterpenoid derivatives from *Turraea parvifolia* (Meliaceae)	1173	P. K. Cheplogoi and D. A. Mulholland
Ecdysteroids and other constituents from *Sida spinosa* L.	1179	F. M. M. Darwish and M. G. Reinecke
Sesquiterpene lactones from glandular trichomes of *Viguiera radula* (Heliantheae; Asteraceae)	1185	O. Spring, R. Zipper, J. Conrad, B. Vogler, I. Klaiber and F. B. Da Costa
Terpenes from *Inula verbascifolia*	1191	A. A. Ahmed, A. El-H. H. Mohamed, O. Tzakou, A. Petropoulou, M. E. Hassan, M. A. El-Maghraby and K.-P. Zeller
Eudesmane derivatives and other constituents from *Saussurea parviflora*	1195	Z.-D. Yang, K. Gao and Z.-J. Jia
Further saponins from *Taverniera aegyptiaca*	1201	Z. Z. Ibraheim, H. A. Hassanean and D. W. Bishay
Ceriopsins F and G, diterpenoids from *Ceriops decandra*	1207	A. S. R. Anjaneyulu and V. L. Rao
Guaiane sesquiterpenes from *Amoora rohituka*	1213	R. Chowdhury, C. M. Hasan and M. A. Rashid
Phenolics		
Anthocyanins from red onion, *Allium cepa*, with novel aglycone	1217	T. Fossen and Ø. M. Andersen
Antibacterial bromophenols from the marine red alga *Rhodomela confervoides*	1221	N. Xu, X. Fan, X. Yan, X. Li, R. Niu and C. K. Tseng
Chalcones from the seed of *Cedrelopsis grevei* (Ptaeroxylaceae)	1225	N. A. Koorbanally, M. Randrianarivelojosia, D. A. Mulholland, L. Q. van Ufford and A. J. J. van den Berg
Acetylated phenolic glycosides from *Harpagophytum procumbens*	1231	N. M. Munkombwe
Antiviral flavonoids from the root bark of *Morus alba* L.	1235	J. Du, Z.-D. He, R.-W. Jiang, W.-C. Ye, H.-X. Xu and P. P.-H. But
6-Hydroxypelargonidin glycosides in the orange-red flowers of *Alstroemeria*	1239	F. Tatsuzawa, N. Saito, N. Murata, K. Shinoda, A. Shigihara and T. Honda
Eryvarins F and G, two 3-phenoxychromones from the roots of *Erythrina variegata*	1243	H. Tanaka, M. Hirata, H. Etoh, H. Shimizu, M. Sako, J. Murata, H. Murata, D. Darnaedi and T. Fukai
Acylated phenolic glycosides from *Solenostemma argel*	1247	M. S. Kamel
Muscanone: a 3-*O*-(1″, 8″, 14″-trimethylhexadecanyl)naringenin from *Commiphora wightii*	1251	M. O. Fatope, S. K. S. Al-Burtomani, J. O. Ochei, A. O. Abdulnour, S. M. Z. Al-Kindy and Y. Takeda
Alkaloids		
Ipobscurines C and D: macrolactam-type indole alkaloids from the seeds of *Ipomoea obscura*	1257	K. Jenett-Siems, R. Weigl, M. Kaloga, J. Schulz and E. Eich
Tetrahydroisoquinoline alkaloids and 2-deoxyribonolactones from *Aristolochia arcuata*	1265	M. C. Francisco, A. L. M. Nasser and L. M. X. Lopes
General Chemistry		
A flavone and an unusual 23-carbon terpenoid from *Andrographis paniculata*	1271	M. K. Reddy, M. V. B. Reddy, D. Gunasekar, M. M. Murthy, C. Caux and B. Bodo
Further constituents from *Caralluma negevensis*	1277	A. Bader, A. Braca, N. De Tommasi and I. Morelli
Biochemical characterization of blood orange, sweet orange, lemon, bergamot and bitter orange	1283	S. Moufida and B. Marzouk
Announcement	1291	